BLNO Dft

BR-690
28-03-2017

M. A. R. 57 (Rule 116)
Measurement Book

No. B

JOB WO: 014-16-000007 P-122
Sft: 1 WO
TSNO: 224 DD/TS/15-16 dt 4.1.2016

Serial No. .....

564202

Name of Work ..Repairs to Bus station at Dasanahalli Sub-division

Name of Contractor of nature of Agency ..Nil of M/s L.G.....

Date of commencement of work ....Contract Secured to Mr. Nirinjegowda Channenahalli

Measured by JE/Surveyor

Date	Full description, etc, of work	Dimensions Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2 WO No: BR/03/14/16-17 Ecell				18.5.2016		8
	Recorded on 22/2/2017						
1	Providing and laying in position Yadahalli Stone of Size 230x230 mm of approved Quality and make over above of Cement mortar 1:3 on upper surface 20mm over Wooden pattern finishing and pointed with Cement mortar 1:3 mix to neat circular with edges using best of workers labour Cyclopean	1	7.00	8.00		56 Sqft	46348/-
		1	8.00				
2	Providing 12mm thick Cement plaster in Single Coat to the Cement mortar 1:3 Ceiling with edges finishing of Corner wherever required						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Earth excavation for trenches for foundation including all						
	Labour charges complete as per specification						
	Hall	1	3.80	3.05	-	13.87	
	Office Room	1	3.30	3.65	-	12.05	
	Toilet Room	1	3.09	2.35	-	7.26	
	Verandah	1	4.45	2.35	-	10.46	
				@ 185.00/-		43.63 Cum	7984/-
3	Providing and applying two coats of best quality white						
	distemper of approved brand and shade in new surfaces of						
	plaster, roots and distemper wherever otherwise						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

564203

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	The Surface finishing by using cement mortar 1:3 over the existing plastered surface in the following rooms as per direction of Engineer-in-charge.						
	Hall	2	3.80	3.30	—	25.08	
		2	3.65	3.30	—	24.09	
	Corridor	1	3.80	3.65	—	13.87	
	~~Corridor~~ Bed Room	2	3.65	3.30	—	~~24.09~~	
		2	3.30	3.30	—	21.78	
	Corridor & Toilet	1	3.65	3.30	—	12.05	
		2	2.35	3.30	—	15.51	
		2	3.09	3.30	—	20.39	
	Verandah Corridor	1	2.35	3.09	—	7.26	
		2	4.45	3.30	—	~~29.37~~	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Ceiling	2	2.35	3.30	–	15.51	
		1	4.45	2.35	–	10.46	
		1	8.00	0.75	–	6.00	
		4	1.00	0.75	–	3.00	
		2	1.80	0.75	–	2.70	
		1	1.50	0.75	–	1.13	
						232.28 Sqm	
	Reduction for doors	1	1.05	–	2.25	2.36	
		2	1.05	–	2.25	4.73	
		3	0.90	–	1.35	3.65	
		3	1.80	–	1.35	7.29	
		1	1.50	–	1.35	2.03	
		1	2.40	–	1.35	3.24	
						32.61 Sqm	131.65
	Net Qty 232.28 − 32.61 = 199.67 Sqm						
						66.00 Sqm	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

564204

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
4	Providing and fixing glazed window shutters with 4 mm thick glass panes in wooden frame including applying 2 coats of linseed oil and 1 coat of white lead primer, all complete as per drawing and as directed by Engineer-in-charge.						
	Cut Pieces	1	30.20	-	4.00	120.80	
		2	30.20	-	0.50	30.20	
		1	53.70	-	3.43	183.65	
						334.65 Sqm	
	Deduction	4	1.05	2.35	9.87		
		3	0.90	1.35	3.65		
		3	1.80	1.35	7.29		
		1	1.50	1.35	2.03		
		1	2.45	1.35	3.31		
					25.92 Sqm		

Nett 334.65 - 25.92 = 353.93 @ 64.00/Sqm

20091

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
5	Providing and applying putty two coats (including primary coat) of oil paint of Synthetic enamel quality on wood based surfaces to give an even smooth finish including cleaning of surface and dust and preparing wall surface and sand papering etc complete as per Specification						
	D						
	W 2	4	1.05	-	2.45	9.41	
	W 1	3	0.90	-	1.35	3.65	
	W 2	3	1.80	-	1.35	7.29	
	W 3	1	1.50	-	1.35	2.03	
		1	2.45	-	1.35	3.31	
						25.79	4686
	Cut Below	2	2.20	-		57.88	
						83.67 Sqm	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

564205

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
6	Providing fabrication & assembly of grey m.s. powder coated aluminium Shutters both Shutter door frame m.s. tube post thickness 4mm 47.62×44 mm Section thickness 3.48 mm overall 1.55 kg/m & vertical 47.62×44.45 mm Section of 3mm weight 1.42 kg/m Bottom & top Section 49.91 mm×44.45 mm Section wall thickness 3mm. weight 1.455 kg/m & Centre rail of 114.3 mm×44.45 mm Section thickness 3.18 mm weight 2.646 kg/m & both side shutter Section & Centre Section & Curve Section bottom rail & top rail with or profile Sheet 1.68 kg/m	1	0.80	2.10			
					= 3.864.07 kg		6499/-
	Certified				Total		98773-00
	(1) Work done is Satisfactory (2) Measurements are checked & recorded by (3) Counter foil & all deductions are made						

22/2/2016

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
							98773=00
							89897=00
							8876=00

Audited and accepted for Rs.....
Passed by Civil Engineer
(.....)
.....
by a
Accountant
Exe. Engineer
Division